Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. L. Birnstiel
J. M. Bishop
M. S. Bretscher
C. R. Cantor
L. Caro
G. N. Cohen
J. Davies
W. F. Dove
G. A. Gilbert
W. Gilbert
R. Huber
A. Klug
D. E. Koshland
S. Lowey
M. F. Moody
D. Nathans
D. C. Phillips
P. M. B. Walker
J. C. Wang
S. M. Weissman

QH301
J73

VOLUME 101
15 February 1976 to 15 March 1976

ACADEMIC PRESS
London New York San Francisco

Copyright © 1976, by Academic Press Inc. (London) Ltd

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 101

NUMBER 1, 15 FEBRUARY 1976

CORNISH-BOWDEN, A., The Effect of Natural Selection on Enzymic Catalysis 1

KURACHI, K., SIEKER, L. C. and JENSEN, L. H., Structures of Triclinic Mono- and Di-*N*-Acetylglucosamine:Lysozyme Complexes—A Crystallographic Study 11

ENEA, V. and ZINDER, N. D., Heteroduplex DNA: A Recombinational Intermediate in Bacteriophage f1 25

WURTZ, M., KISTLER, J. and HOHN, T., Surface Structure of *in vitro* Assembled Bacteriophage Lambda Polyheads 39

GANEM, D., NUSSBAUM, A. L., DAVOLI, D. and FAREED, G. C., Isolation, Propagation and Characterization of Replication Requirements of Reiteration Mutants of Simian Virus 40 57

JORDAN, B. R., JOURDAN, R. and JACQ, B., Late Steps in the Maturation of *Drosophila* 26 S Ribosomal RNA: Generation of 5·8 S and 2 S RNAs by Cleavages occurring in the Cytoplasm 85

APRIL, E. W. and WONG, D., Non-isovolumic Behavior of the Unit Cell of Skinned Striated Muscle Fibers 107

NUMBER 2, 25 FEBRUARY 1976

LUZZATI, V., TARDIEU, A., MATEU, L. and STUHRMANN, H. B., Structure of Human Serum Lipoproteins in Solution. I. Theory and Techniques of an X-ray Scattering Approach using Solvents of Variable Density . . 115

TARDIEU, A., MATEU, L., SARDET, C., WEISS, B., LUZZATI, V., AGGERBECK, L. and SCANU, A. M., Structure of Human Serum Lipoproteins in Solution. II. Small-angle X-ray Scattering Study of HDL_3 and LDL . . . 129

HOCHKEPPEL, H-K., SPICER, E. and CRAVEN, G. R., A Method of Preparing *Escherichia coli* 16 S RNA Possessing Previously Unobserved 30 S Ribosomal Protein Binding Sites 155

PONGS, O. and MESSER, W., The Chloramphenicol Receptor Site in *Escherichia coli in vivo* Affinity Labeling by Monoiodoamphenicol 171

Baker, E. N., The Structure of Actinidin at 5·5 Å Resolution 185

Krasin, F., Person, S., Ley, R. D. and Hutchinson, F., DNA Crosslinks, Single-strand Breaks and Effects on Bacteriophage T4 Survival from Tritium Decay of [2-^{3}H]Adenine, [8-^{3}H]Adenine and [8-^{3}H]Guanine . . 197

Nissen-Meyer, J. and Eikhom, T. S., An Excess of the Small Ribosomal Subunits and a Higher Rate of Turnover of the 60 S than of the 40 S Ribosomal Subunits in L Cells Grown in Suspension Culture 211

Miller, R. C., Jr, Lee, M., Scraba, D. G. and Paetkau, V., The Role of Bacteriophage T7 Exonuclease (Gene *6*) in Genetic Recombination and Production of Concatemers 223

Khan, M. S. N. and Maden, B. E. H., Nucleotide Sequences within the Ribosomal Ribonucleic Acids of HeLa Cells, *Xenopus laevis* and Chick Embryo Fibroblasts 235

Lacks, S. and Greenberg, B., Single-strand Breakage on Binding of DNA to Cells in the Genetic Transformation of *Diplococcus pneumoniae* . . . 255

Letter to the Editor

Prehm, P., Jann, B., Jann, K., Schmidt, G. and Stirm, S., On a Bacteriophage T3 and T4 Receptor Region within the Cell Wall Lipopolysaccharide of *Escherichia coli* B 277

Announcement 283

Number 3, 5 March 1976

Martin, N., Rabinowitz, M. and Fukuhara, H., Isoaccepting Mitochondrial Glutamyl-tRNA Species Transcribed from Different Regions of the Mitochondrial Genome of *Saccharomyces cerevisiae* 285

Breitmeyer, J. B. and Noller, H. F., Affinity Labeling of Specific Regions of 23 S RNA by Reaction of *N*-bromoacetyl-phenylalanyl-transfer RNA with *Escherichia coli* Ribosomes 297

Schnitzlein, W. M. and Reichmann, M. E., The Size and the Cistronic Origin of Defective Vesicular Stomatitis Virus Particle RNAs in Relation to Homotypic and Heterotypic Interference 307

Gage, L. P. and Manning, R. F., Determination of the Multiplicity of the Silk Fibroin Gene and Detection of Fibroin Gene-related DNA in the Genome of *Bombyx mori* 327

STEHELIN, D., GUNTAKA, R. V., VARMUS, H. E. and BISHOP, J. M., Purification of DNA Complementary to Nucleotide Sequences Required for Neoplastic Transformation of Fibroblasts by Avian Sarcoma Viruses 349

VOLLENWEIDER, H. J., KOLLER, TH., WEBER, H. and WEISSMANN, CH., Physical Mapping of Qβ Replicase Binding Sites on Qβ RNA . . . 367

MCGUIRE, P. M., PIATAK, M. and HODGE, L. D., Nuclear and Cytoplasmic Adenovirus RNA. Differences between 5′-Termini of Messenger and Non-messenger Transcripts 379

JULLIEN, M. and THUSIUS, D., Mechanism of Bovine Liver Glutamate Dehydrogenase Self-assembly. III. Characterization of the Association–Dissociation Stoichiometry with Quasi-elastic Light Scattering 397

LETTERS TO THE EDITOR

HIGGINS, N. P., KATO, K. and STRAUSS, B., A Model for Replication Repair in Mammalian Cells 417

FOX, T. D., LOSICK, R. and PERO, J., Regulatory Gene *28* of Bacteriophage SPO1 Codes for a Phage-induced Subunit of RNA Polymerase . 427

BRYZGUNOV, V. A., LUTSIK, M. D., MELICK-ADAMYAN, V. R. and MOKULSKII, M. A., Preliminary X-ray Study of Crystals of Mitogenic Lectin from Pea Seeds 435

ANNOUNCEMENT 439

NUMBER 4, 15 MARCH 1976

MITCHELL, D. H., REZNIKOFF, W. S. and BECKWITH, J., Genetic Fusions that Help Define a Transcription Termination Region in *Escherichia coli* . . 441

GUDAS, L. J. and PARDEE, A. B., DNA Synthesis Inhibition and the Induction of Protein X in *Escherichia coli* 459

PETTERSSON, U., TIBBETTS, C. and PHILIPSON, L., Hybridization Maps of Early and Late Messenger RNA Sequences on the Adenovirus Type 2 Genome 479

WALBOT, V. and DURE III, L. S., Developmental Biochemistry of Cotton Seed Embryogenesis and Germination. VII. Characterization of the Cotton Genome 503

GAVRILOVA, L. P., KOSTIASHKINA, O. E., KOTELIANSKY, V. E., RUTKEVITCH, N. M. and SPIRIN, A. S., Factor-free ("Non-enzymic") and Factor-dependent Systems of Translation of Polyuridylic Acid by *Escherichia coli* Ribosomes 537

Spirin, A. S., Kostiashkina, O. E. and Jonák, J., Contribution of the Elongation Factors to Resistance of Ribosomes Against Inhibitors: Comparison of the Inhibitor Effects on the Factor-dependent and Factor-free Translation Systems 553

Letter to the Editor

Zimmerman, S. B., The Polyuridylic Acid Complex with Polyamines: An X-ray Fiber Diffraction Observation 563

Index to Volume 101

N-Acetylglucosamine and di-*N*-acetylglucosamine triclinic complexes with lysozyme—a crystallographic study of structures, 11
Actinidin, structure at 5·5 Å resolution, 185
[2-^{3}H]Adenine, [8-^{3}H]adenine and [8-^{3}H]guanine tritium decay, and DNA crosslinks, single-strand breaks and effects on bacteriophage T4 survival, 197
Adenovirus RNA, nuclear and cytoplasmic, differences between 5′-termini of messenger and non-messenger transcripts, 379
— type 2 genome, hybridization maps of early and late mRNA sequences, 479
Affinity labelling of *Escherichia coli in vivo* by monoiodoamphenicol, the chloramphenicol receptor site, 171
— — — specific regions of 23 S RNA by reaction of *N*-bromoacetyl-phenylalanyl-tRNA with *Escherichia coli* ribosomes, 297
Aggerbeck, L. (see also Tardieu, A.), 129
April, E. W. & Wong, D., Non-isovolumic behavior of the unit cell of skinned striated muscle fibers, 107
Avian sarcoma virus (see also Virus), 349

Bacteriophage f1 recombinational intermediate; heteroduplex DNA, 25
— lambda polyheads, *in vitro* assembled, surface structure, 39
— SPO1, regulatory gene *28* codes for a phage-induced subunit of RNA polymerase, 427
— T3 and T4 receptor region within the cell wall lipopolysaccharide of *Escherichia coli* B, 277
— T4 survival, DNA cross-links and single-strand breaks, effects of tritium decay of [2-^{3}H]adenine, [8-^{3}H]adenine and [8-^{3}H]guanine, 197
— T7 exonuclease (gene *6*), role in genetic recombination and production of concatemers, 223
Baker, E. N., The structure of actinidin at 5·5Å resolution, 185
Beckwith, J. (see also Mitchell, D. H.), 441
Binding of DNA to cells in the genetic transformation of *Diplococcus pneumoniae*, single-strand breakage, 255
— sites, Qβ replicase, on Qβ RNA, physical mapping, 367
— —, 30 S ribosomal protein, previously unobserved, of *Escherichia coli* 16 S RNA, 155
Bishop, J. M. (see also Stehelin, D.), 349
Bombyx mori, determination of the multiplicity of the silk fibroin gene and detection of fibroin gene-related DNA in the genome, 327
Bovine liver glutamate dehydrogenase self-assembly mechanism: characterization of the association–dissociation stoichiometry with quasi-elastic light scattering, 397
Breakage, single-strand, on binding of DNA to cells in the genetic transformation of *Diplococcus pneumoniae*, 255
Breaks, single-strand, and crosslinks of DNA, and effects on bacteriophage T4 survival, from tritium decay of [2-^{3}H]adenine, [8-^{3}H]adenine and [8-^{3}H]guanine, 197
Breitmeyer, J. B. & Noller, H. F., Affinity labeling of specific regions of 23 S RNA by reaction of *N*-bromoacetyl-phenylalanyl-transfer RNA with *Escherichia coli* ribosomes, 297
N-Bromoacetyl-phenylalanyl-tRNA, reaction with *Escherichia coli* ribosomes results in affinity labeling of specific regions of 23 S RNA, 297
Bryzgunov, V. A., Lutsik, M. D., Melick-Adamyan, V. R. & Mokulskii, M. A., Preliminary X-ray study of crystals of mitogenic lectin from pea seeds, 435

Catalysis, enzymic, effect of natural selection, 1
Cell wall lipopolysaccharide of *Escherichia coli* B, a receptor region for bacteriophages T3 and T4, 277
Cells, mammalian, a model for replication repair, 417
Chick embryo fibroblasts, HeLa cells and *Xenopus laevis*, comparison of the nucleotide sequences within the ribosomal RNAs, 235
Chloramphenicol receptor site in *Escherichia coli in vivo* affinity labeling by monoiodoamphenicol, 171
Cleavages occurring in the cytoplasm generate 5·8 S and 2 S RNAs: late steps in the maturation of *Drosophila* 26 S ribosomal RNA, 85

Concatemer production and genetic recombination, role of bacteriophage T7 exonuclease (gene *6*), 223
Cornish-Bowden, A., The effect of natural selection on enzymic catalysis, 1
Cotton seed embryogenesis and germination, developmental biochemistry: characterization of the cotton genome, 503
Craven, G. R. (see also Hochkeppel, H-K.), 155
Crosslinks and single-strand breaks of DNA and effects on bacteriophage T4 survival from tritium decay of [2-^{3}H]adenine, [8-^{3}H]adenine and [8-^{3}H]guanine, 197
Crystallographic study of structures of triclinic mono- and di-*N*-acetylglucosamine:lysozyme complexes, 11
Crystals of mitogenic lectin from pea seeds, a preliminary X-ray study, 435
Cytoplasm, generation of 5·8 S and 2 S RNAs by cleavages: late steps in the maturation of *Drosophila* 26 S ribosomal RNA, 85
Cytoplasmic and nuclear adenovirus RNA. Differences between 5′-termini of messenger and non-messenger transcripts, 379

Davoli, D. (see also Ganem, D.), 57
Defective vesicular stomatitis virus particle RNAs, size and cistronic origin in relation to homotypic and heterotypic interference, 307
Deoxyribonucleic acid bound to cells in the genetic transformation of *Diplococcus pneumoniae*, single-strand breakage, 255
— — complementary to nucleotide sequences required for neoplastic transformation of fibroblasts by avian sarcoma viruses, purification, 349
— — crosslinks, single-strand breaks and effects on bacteriophage T4 survival from tritium decay of [2-^{3}H]adenine, [8-^{3}H]adenine and [8-^{3}H]guanine, 197
— —, fibroin gene-related, detection in the genome of *Bombyx mori*, and determination of the multiplicity of the silk fibroin gene, 327
— —, heteroduplex: a recombinational intermediate in bacteriophage f1, 25
— — synthesis inhibition and the induction of protein X in *Escherichia coli*, 459
Diplococcus pneumoniae genetic transformation, single-strand breakage on binding of DNA to cells, 255
Drosophila 26 S ribosomal RNA, late steps in maturation: generation of 5·8 S and 2 S RNAs by cleavages occurring in the cytoplasm, 85
Dure III, L. S. (see also Walbot, V.), 503

Eikhom, T. S. (see also Nissen-Meyer, J.), 211
Elongation factors, their contribution to resistance of ribosomes against inhibitors: comparison of the inhibitor effects on the factor-dependent and factor-free translation systems, 553
Enea, V. & Zinder, N. D., Heteroduplex DNA: a recombinational intermediate in bacteriophage f1, 25
Enzymic catalysis, effect of natural selection, 1
Escherichia coli, DNA synthesis inhibition and the induction of protein X, 459
— —, genetic fusions that help define a transcription termination region, 441
— — *in vivo* affinity labeling by monoiodoamphenicol, the chloramphenicol receptor site, 171
— — B, on a bacteriophage T3 and T4 receptor region within the cell wall lipopolysaccharide, 277
— — possessing previously unobserved 30 S ribosomal protein binding sites, a method of preparation, 155
— — ribosomes, factor-free ("non-enzymic") and factor-dependent systems of translation of polyuridylic acid, 537
— — ribosomes, reaction with *N*-bromoacetyl-phenylalanyl-tRNA results in affinity labeling of specific regions of 23 S RNA, 297
Exonuclease of bacteriophage T7 (gene *6*), role in genetic recombination and production of concatemers, 223

f1 (see also Bacteriophage), 25
Factor-free ("non-enzymic") and factor-dependent systems of translation of polyuridylic acid by *Escherichia coli* ribosomes, 537
— — and factor-dependent translation systems, comparison of inhibitor effects; contribution of the elongation factors to resistance of ribosomes against inhibitors, 553
Fareed, G. C. (see also Ganem, D.), 57

Fiber X-ray diffraction observation of the polyuridylic acid complex with polyamines, 563
Fibroblasts, neoplastic transformation by avian sarcoma viruses, purification of DNA complementary to the required nucleotide sequences, 349
Fibroin gene, silk, determination of the multiplicity and detection of fibroin gene-related DNA in the genome of *Bombyx mori*, 327
Fox, T. D., Losick, R. & Pero, J., Regulatory gene *28* of bacteriophage SPO1 codes for a phage-induced subunit of RNA polymerase, 427
Fukuhara, H. (see also Martin, N.), 285
Fusions, genetic, that help define a transcription termination region in *Escherichia coli*, 441

Gage, L. P. & Manning, R. F., Determination of the multiplicity of the silk fibroin gene and detection of fibroin gene-related DNA in the genome of *Bombyx mori*, 327
Ganem, D., Nussbaum, A. L., Davoli, D. & Fareed, G. C., Isolation, propagation and characterization of replication requirements of reiteration mutants of Simian virus 40, 57
Gavrilova, L. P., Kostiashkina, O. E., Koteliansky, V. E., Rutkevitch, N. M. & Spirin, A. S., Factor-free ("non-enzymic") and factor-dependent systems of translation of polyuridylic acid by *Escherichia coli* ribosomes, 537
Gene *6*, bacteriophage T7 exonuclease, role in genetic recombination and production of concatemers, 223
— *28*, regulatory, of bacteriophage SPO1 codes for a phage-induced subunit of RNA polymerase, 427
Gene, fibroin, silk, detection of fibroin gene-related DNA in the genome of *Bombyx mori*, 327
Genome, mitochondrial, of *Saccharomyces cerevisiae*, isoaccepting mitochondrial glutamyl-tRNA species transcribed from different regions, 285
— of adenovirus, type 2, hybridization maps of early and late mRNA sequences, 479
— — *Bombyx mori*, detection of fibroin gene-related DNA, and determination of the multiplicity of the silk fibroin gene, 327
— —cotton, characterization, 503
Glutamate dehydrogenase of bovine liver, mechanism of self-assembly. Characterization of the association–dissociation stoichiometry with quasi-elastic light scattering, 397
Glutamyl-tRNA, mitochondrial, isoaccepting, species transcribed from different regions of the mitochondrial genome of *Saccharomyces cerevisiae*, 285
Greenberg, B. (see also Lacks, S.), 255
[8-^{3}H]Guanine, [2-^{3}H]adenine and [8-^{3}H]adenine tritium decay, and DNA crosslinks, single-strand breaks and effects on bacteriophage T4 survival, 197
Gudas, L. J. & Pardee, A. B., DNA synthesis inhibition and the induction of protein X in *Escherichia coli*, 459
Guntaka, R. V. (see also Stehelin, D.), 349

HDL_3 and LDL, small-angle X-ray scattering study of structure in solution, 129
HeLa cells, *Xenopus laevis* and chick embryo fibroblasts, comparison of the nucleotide sequences within the ribosomal RNAs, 235
Heteroduplex DNA: a recombinational intermediate in bacteriophage f1, 25
Higgins, N. P., Kato, K. & Strauss, B., A model for replication repair in mammalian cells, 417
Hochkeppel, H-K., Spicer, E. & Craven, G. R., A method of preparing *Escherichia coli* 16 S RNA possessing previously unobserved 30 S ribosomal protein binding sites, 155
Hodge, L. D. (see also McGuire, P. M.), 379
Hohn, T. (see also Wurtz, M.), 39
Human serum lipoproteins, structure in solution. I. Theory and techniques of an X-ray scattering approach using solvents of variable density, 115
— — — — — — II. Small-angle X-ray scattering study of HDL_3 and LDL, 129
Hutchinson, F. (see also Krasin, F.), 197
Hybridization maps of early and late mRNA sequences on the adenovirus type 2 genome, 479

Inhibition of DNA synthesis and the induction of protein X in *Escherichia coli*, 459
Inhibitors, resistance against, by ribosomes, contribution of the elongation factors: comparison of the inhibitor effects on the factor-dependent and factor-free translation systems, 553
Interference, homotypic and heterotypic, relation to the size and the cistronic origin of defective vesicular stomatitis virus particle RNAs, 307

Intermediate, recombinational, in bacteriophage f1; heteroduplex DNA, 25
Isoaccepting mitochondrial glutamyl-tRNA species transcribed from different regions of the mitochondrial genome of *Saccharomyces cerevisiae*, 285
Jacq, B. (see also Jordan, B. R.), 85
Jann, B. (see also Prehm, P.), 277
Jann, K. (see also Prehm, P.), 277
Jensen, L. H. (see also Kurachi, K.), 11
Jonák, J. (see also Spirin, A. S.), 553
Jordan, B. R., Jourdan, R. & Jacq, B., Late steps in the maturation of *Drosophila* 26 S ribosomal RNA: generation of 5·8 S and 2 S RNAs by cleavages occurring in the cytoplasm, 85
Jourdan, R. (see also Jordan, B. R.), 85
Jullien, M. & Thusius, D., Mechanism of bovine liver glutamate dehydrogenase self-assembly. III. Characterization of the association–dissociation stoichiometry with quasi-elastic light scattering, 397

Kato, K. (see also Higgins, N. P.), 417
Khan, M. S. N. & Maden, B. E. H., Nucleotide sequences within the ribosomal ribonucleic acids of HeLa cells, *Xenopus laevis* and chick embryo fibroblasts, 235
Kistler, J. (see also Wurtz, M.), 39
Koller, Th. (see also Vollenweider, H. J.), 367
Kostiashkina, O. E. (see also Gavrilova, L. P.), 537
— (see also Spirin, A. S.), 553
Koteliansky, V. E. (see also Gavrilova, L. P.), 537
Krasin, F., Person, S., Ley, R. D. & Hutchinson, F., DNA crosslinks, single-strand breaks and effects on bacteriophage T4 survival from tritium decay of [2-^{3}H]adenine, [8-^{3}H]adenine and [8-^{3}H]guanine, 197
Kurachi, K., Sieker, L. C. & Jensen, L. H., Structures of triclinic mono- and di-*N*-acetylglucosamine:lysozyme complexes—a crystallographic study, 11

λ (see also Bacteriophage), 39
L cell grown in suspension culture, an excess of the small ribosomal subunits and a higher rate of turnover of the 60 S than of the 40 S ribosomal subunits, 211
Lacks, S. & Greenberg, B., Single-strand breakage on binding of DNA to cells in the genetic transformation of *Diplococcus pneumoniae*, 255
LDL and HDL_3, small-angle X-ray scattering study of structure in solution, 129
Lectin, mitogenic, crystals from pea seeds, a preliminary X-ray study, 435
Lee, M. (see also Miller, R. C., Jr), 223
Ley, R. D. (see also Krasin, F.), 197
Light scattering, quasi-elastic, of bovine liver glutamate dehydrogenase; mechanism of self-assembly, 397
Lipopolysaccharide of *Escherichia coli* B cell wall, a receptor region for bacteriophages T3 and T4, 277
Lipoproteins of human serum, structure in solution. I. Theory and techniques of an X-ray scattering approach using solvents of variable density, 115
— — — — — — — —. II. Small-angle X-ray scattering study of HDL_3 and LDL, 129
Liver, bovine, glutamate dehydrogenase self-assembly mechanism: characterization of the association–dissociation stoichiometry with quasi-elastic light scattering, 397
Losick, R. (see also Fox, T. D.), 427
Lutsik, M. D. (see also Bryzgunov, V. A.), 435
Luzzati, V., Tardieu, A., Mateu, L. & Stuhrmann, H. B., Structure of human serum lipoproteins in solution. I. Theory and techniques of an X-ray scattering approach using solvents of variable density, 115
—, V. (see also Tardieu, A.), 129
Lysozyme triclinic complexes with mono- and di-*N*-acetylglucosamine—a crystallographic study of structures, 11

McGuire, P. M., Piatak, M. & Hodge, L. D., Nuclear and cytoplasmic adenovirus RNA. Differences between 5′-termini of messenger and non-messenger transcripts, 379
Maden, B. E. H. (see also Khan, M. S. N.), 235

Mammalian cells, a model for replication repair, 417
Manning, R. F. (see also Gage, L. P.), 327
Mapping, physical, of Qβ replicase binding sites on Qβ RNA, 367
Maps, hybridization, of early and late mRNA sequences on the adenovirus type 2 genome, 479
Martin, N., Rabinowitz, M. & Fukuhara, H., Isoaccepting mitochondrial glutamyl-tRNA species transcribed from different regions of the mitochondrial genome of *Saccharomyces cerevisiae*, 285
Mateu, L. (see also Luzzati, V.), 115
— (see also Tardieu, A.), 129
Maturation of *Drosophila* 26 S ribosomal RNA, late steps: generation of 5·8 S and 2 S RNAs by cleavages occurring in the cytoplasm, 85
Melick-Adamyan, V. R. (see also Bryzgunov, V. A.), 435
Messenger and non-messenger transcripts, differences between 5′-termini. Nuclear and cytoplasmic adenovirus RNA, 379
— RNA sequences, early and late, on the adenovirus type 2 genome, hybridization maps, 479
Messer, W. (see also Pongs, O.), 171
Miller, R. C., Jr, Lee, M., Scraba, D. G. & Paetkau, V., The role of bacteriophage T7 exonuclease (gene *6*) in genetic recombination and production of concatemers, 223
Mitchell, D. H., Reznikoff, W. S. & Beckwith, J., Genetic fusions that help define a transcription termination region in *Escherichia coli*, 441
Mitochondrial glutamyl-tRNA, isoaccepting, species transcribed from different regions of the mitochondrial genome of *Saccharomyces cerevisiae*, 285
Mitogenic lectin crystals from pea seeds, a preliminary X-ray study, 435
Model for replication repair in mammalian cells, 417
Mokulskii, M. A. (see also Bryzgunov, V. A.), 435
Monoiodoamphenicol affinity labeling of *Escherichia coli in vivo*, the chloramphenicol receptor site, 171
Multiplicity of the silk fibroin gene and detection of fibroin gene-related DNA in the genome of *Bombyx mori*, 327
Muscle fibers, striated, skinned, non-isovolumic behavior of the unit cell, 107
Mutants, reiteration, of Simian virus 40, isolation, propagation and characterization of replication requirements, 57

Nissen-Meyer, J. & Eikhom, T. S., An excess of the small ribosomal subunits and a higher rate of turnover of the 60 S than of the 40 S ribosomal subunits in L cells grown in suspension culture, 211
Noller, H. F. (see also Breitmeyer, J. B.), 297
Nuclear and cytoplasmic adenovirus RNA. Differences between 5′-termini of messenger and non-messenger transcripts, 379
Nucleotide sequences within the ribosomal RNAs of HeLa cells, *Xenopus laevis* and chick embryo fibroblasts, 235
Nussbaum, A. L. (see also Ganem, D.), 57

Paetkau, V. (see also Miller, R. C., Jr), 223
Pardee, A. B. (see also Gudas, L. J.), 459
Pea seeds, preliminary X-ray study of crystals of mitogenic lectin, 435
Pero, J. (see also Fox, T. D.), 427
Person, S. (see also Krasin, F.), 197
Pettersson, U., Tibbetts, C. & Philipson, L., Hybridization maps of early and late messenger RNA sequences on the adenovirus type 2 genome, 479
Philipson, L. (see also Pettersson, U.), 479
Physical mapping of Qβ replicase binding sites on Qβ RNA, 367
Piatak, M. (see also McGuire, P. M.), 379
Polyamines, complex with polyuridylic acid: an X-ray fiber diffraction observation, 563
Polyheads, *in vitro* assembled, of bacteriophage lambda, surface structure, 39
Polymerase for RNA, phage-induced subunit coded for by regulatory gene *28* of bacteriophage SPO1, 427
Polyuridylic acid complex with polyamines: an X-ray fiber diffraction observation, 563
— — translation by *Escherichia coli* ribosomes, factor-free ("non-enzymic") and factor-dependent systems, 537
Pongs, O. & Messer, W., The chloramphenicol receptor site in *Escherichia coli, in vivo* affinity labeling by monoiodoamphenicol, 171

Prehm, P., Jann, B., Jann, K., Schmidt, G. & Stirm, S., On a bacteriophage T3 and T4 receptor region within the cell wall lipopolysaccharide of *Escherichia coli* B, 277
Protein, 30 S ribosomal, binding sites, previously unobserved, of *Escherichia coli* 16 S RNA, 155
— X induction and DNA synthesis inhibition in *Escherichia coli*, 459

Qβ replicase binding sites on Qβ RNA, physical mapping, 367

Rabinowitz, M. (see also Martin, N.), 285
Receptor region for bacteriophages T3 and T4 within the cell wall lipopolysaccharide of *Escherichia coli* B, 277
— site, chloramphenicol, in *Escherichia coli in vivo* affinity labeling by monoiodoamphenicol, 171
Recombination, genetic, and production of concatemers, role of bacteriophage T7 exonuclease (gene *6*), 223
Recombinational intermediate in bacteriophage f1; heteroduplex DNA, 25
Reichmann, M. E. (see also Schnitzlein, W. M.), 307
Reiteration mutants of Simian virus 40, isolation, propagation and characterization of replication requirements, 57
Replication repair in mammalian cells, a model, 417
— requirements characterization, isolation and propagation of reiteration mutants of Simian virus 40, 57
Reznikoff, W. S. (see also Mitchell, D. H.), 441
Ribosomal RNA nucleotide sequences, comparison for HeLa cells, *Xenopus laevis* and chick embryo fibroblasts, 235
— 26 S RNA of *Drosophila*, late steps in maturation: generation of 5·8 S and 2 S RNAs by cleavages occurring in the cytoplasm, 85
— 30 S protein binding sites, previously unobserved, of *Escherichia coli* 16 S RNA, 155
— subunits in L cells grown in suspension culture: an excess of the small subunits and a higher rate of turnover of the 60 S than of the 40 S subunits, 211
Ribosome resistance against inhibitors, contribution of the elongation factors: comparison of the inhibitor effects on the factor-dependent and factor-free translation systems, 553
Ribosomes of *Escherichia coli*, factor-free ("non-enzymic") and factor-dependent systems of translation of polyuridylic acid, 537
— — — —, reaction with *N*-bromoacetyl-phenylalanyl-tRNA results in affinity labeling of specific regions of 23 S RNA, 297
Ribonucleic acid, adenovirus, nuclear and cytoplasmic, differences between 5′-termini of messenger and non-messenger transcripts, 379
— —, early and late messenger sequences on the adenovirus type 2 genome, hybridization maps, 479
— —, isoaccepting mitochondrial glutamyl-tRNA species transcribed from different regions of the mitochondrial genome of *Saccharomyces cerevisiae*, 285
— — of defective interfering particles: the size and the cistronic origin of defective vesicular stomatitis virus particle RNAs in relation to homotypic and heterotypic interference, 307
— — polymerase, phage-induced subunit coded for by regulatory gene *28* of bacteriophage SPO1, 427
— —, Qβ, physical mapping of Qβ replicase binding sites, 367
— —, ribosomal, nucleotide sequences, comparison for HeLa cells, *Xenopus laevis* and chick embryo fibroblasts, 235
— —, —, 26 S of *Drosophila*, late steps in maturation: generation of 5·8 S and 2 S RNAs by cleavages occurring in the cytoplasm, 85
— —, 16 S, of *Escherichia coli*, possessing previously unobserved 30 S ribosomal protein binding sites, a method of preparation, 155
— —, 23 S, affinity labeling of specific regions by reaction of *N*-bromoacetyl-phenylalanyl-tRNA with *Escherichia coli* ribosomes, 297
Rutkevitch, N. M. (see also Gavrilova, L. P.), 537

Saccharomyces cerevisiae, isoaccepting mitochondrial glutamyl-tRNA species transcribed by different regions of the mitochondrial genome, 285
Sardet, C. (see also Tardieu, A.), 129
Scanu, A. M. (see also Tardieu, A.), 129

Schmidt, G. (see also Prehm, P.), 277
Schnitzlein, W. M. & Reichmann, M. E., The size and the cistronic origin of defective vesicular stomatitis virus particle RNAs in relation to homotypic and heterotypic interference, 307
Scraba, D. G. (see also Miller, R. C., Jr), 223
Selection, natural, effect on enzymic catalysis, 1
Self-assembly mechanism of bovine liver glutamate dehydrogenase. Characterization of the association–dissociation stoichiometry with quasi-elastic light scattering, 397
Sequences, early and late mRNA, on the adenovirus type 2 genome, hybridization maps, 479
—, nucleotide, required for neoplastic transformation of fibroblasts by avian sarcoma viruses, purification of complementary DNA, 349
— —, within the ribosomal RNAs of HeLa cells, *Xenopus laevis* and chick embryo fibroblasts, 235
Sieker, L. C. (see also Kurachi, K.), 11
Silk fibroin gene, determination of multiplicity and detection of fibroin gene-related DNA in the genome of *Bombyx mori*, 327
Simian virus 40 (see also Virus), 57
Spicer, E. (see also Hochkeppel, H-K.), 155
Spirin, A. S., Kostiashkina, O. E. & Jonák, J., Contribution of the elongation factors to resistance of ribosomes against inhibitors: comparison of the inhibitor effects on the factor-dependent and factor-free translation systems, 553
— (see also Gavrilova, L. P.), 537
SPO1 (see also Bacteriophage), 427
Stehelin, D., Guntaka, R. V., Varmus, H. E. & Bishop, J. M., Purification of DNA complementary to nucleotide sequences required for neoplastic transformation of fibroblasts by avian sarcoma viruses, 349
Stirm, S. (see also Prehm, P.), 277
Strauss, B. (see also Higgins, N. P.), 417
Structure of actinidin at 5·5 Å resolution, 185
— — human serum lipoproteins in solution. I. Theory and techniques of an X-ray scattering approach using solvents of variable density, 115
— — — — — — — —. II. Small-angle X-ray scattering study of HDL_3 and LDL, 129
Structures of triclinic mono- and di-*N*-acetylglucosamine: lysozyme complexes—a crystallographic study, 11
Structure, surface, of *in vitro* assembled bacteriophage lambda polyheads, 39
Stuhrmann, H. B. (see also Luzzati, V.), 115
Surface structure of *in vitro* assembled bacteriophage lambda polyheads, 39
Suspension culture, L cell growth, an excess of the small ribosomal subunits and a higher rate of turnover of the 60 S than of the 40 S ribosomal subunits, 211
Synthesis inhibition of DNA and the induction of protein X in *Escherichia coli*, 459

T3 (see also Bacteriophage), 277
T4 (see also Bacteriophage), 197, 277
T7 (see also Bacteriophage), 223
Tardieu, A., Mateu, L., Sardet, C., Weiss, B., Luzzati, V., Aggerbeck, L. & Scanu, A. M., Structure of human serum lipoproteins in solution. II. Small-angle X-ray scattering study ofHDL_3 and LDL, 129
—, A. (see also Luzzati, V.), 115
Termination region for transcription in *Escherichia coli* defined by genetic fusions, 441
5′-Termini of adenovirus RNA, differences for messenger and non-messenger transcripts, 379
Thusius, D. (see also Jullien, M.), 397
Tibbetts, C. (see also Pettersson, U.), 479
Transcription termination region defined by genetic fusions in *Escherichia coli*, 441
Transfer RNA, glutamyl-, mitochondrial, isoaccepting, species transcribed from different regions of the mitochondrial genome of *Saccharomyces cerevisiae*, 285
Transformation, genetic, of *Diplococcus pneumoniae*, single-strand breakage on binding of DNA to cells, 255
—, neoplastic, of fibroblasts by avian sarcoma viruses, purification of DNA complementary to the required nucleotide sequences, 349
Translation of polyuridylic acid by *Escherichia coli* ribosomes, factor-free ("non-enzymic") and factor-dependent systems, 537
— systems, factor-dependent and factor-free, comparison of inhibitor effects; contribution of the elongation factors to resistance of ribosomes against inhibitors, 553

Triclinic mono- and di-*N*-acetylglucosamine:lysozyme complexes—a crystallographic study of structures, 11
Tritium decay of [2-^{3}H]adenine, [8-^{3}H]adenine and [8-^{3}H]guanine, and DNA crosslinks, single-strand breaks and effects on bacteriophage T4 survival, 197

Unit cell of skinned striated muscle fibers, non-isovolumic behavior, 107

Varmus, H. E. (see also Stehelin, D.), 349
Vesicular stomatitis virus (see also Virus), 307
Virus, avian sarcoma, neoplastic transformation of fibroblasts, purification of DNA complementary to the required nucleotide sequences, 349
—, Simian virus 40, isolation, propagation and characterization of replication requirements of reiteration mutants, 57
—, vesicular stomatitis, defective particle RNAs, size and cistronic origin in relation to homotypic and heterotypic interference, 307
Vollenweider, H. J., Koller, Th., Weber, H. & Weissmann, Ch., Physical mapping of $Q\beta$ replicase binding sites on $Q\beta$ RNA, 367

Walbot, V. & Dure III, L. S., Developmental biochemistry of cotton seed embryogenesis and germination. VII. Characterization of the cotton genome, 503
Weber, H. (see also Vollenweider, H. J.), 367
Weiss, B. (see also Tardieu, A.), 129
Weissmann, Ch. (see also Vollenweider, H. J.), 367
Wong, D. (see also April, E. W.), 107
Wurtz, M., Kistler, J. & Hohn, T., Surface structure of *in vitro* assembled bacteriophage lambda polyheads, 39

Xenopus laevis, HeLa cells and chick embryo fibroblasts, comparison of the nucleotide sequences within the ribosomal RNAs, 235
X-ray fiber diffraction observation of the polyuridylic acid complex with polyamines, 563
— scattering, small-angle, study of HDL_3 and LDL; structure of human serum lipoproteins in solution, 129
— —, theory and techniques for structure determination of human serum lipoproteins in solution using solvents of variable density, 115
— study, preliminary, of crystals of mitogenic lectin from pea seeds, 435

Zimmerman, S. B., The polyuridylic acid complex with polyamines: an X-ray fiber diffraction observation, 563
Zinder, N. D. (see also Enea, V.), 25